

NEBRASKA

2018 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
Supportive School Nutrition Environment												
SSNE 1 (2.3.04). Percentage of schools that do not sell less healthy foods and beverages (soda pop or fruit drinks, sports drinks, baked goods, salty snacks, candy).	33.9	26.1 - 42.6	48	69.4	62.2 - 75.8	65	40.0	34.0 - 46.4	100	48.5	44.5 - 52.6	213
SSNE 2 (2.3.06). Percentage of schools that prohibit all forms of advertising and promotion for candy, fast food restaurants, or soft drinks.	37.3	27.9 - 47.8	48	71.4	64.2 - 77.7	68	42.9	36.2 - 49.8	105	51.3	46.9 - 55.6	221
SSNE 3 (2.3.07). Percentage of schools that price nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages.	10.3	5.7 - 17.8	48	12.8	8.6 - 18.5	67	7.6	4.8 - 12.0	105	9.9	7.5 - 12.8	220
SSNE 4 (2.3.08). Percentage of schools that provide information to students or families on the nutrition, caloric, and sodium content of foods available.	62.9	55.2 - 70.1	49	53.1	44.3 - 61.6	66	46.4	40.2 - 52.8	105	52.0	47.6 - 56.4	220

NEBRASKA

2018 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
SSNE 5 (2.3.09). Percentage of schools that place fruits and vegetables near the cafeteria cashier, where they are easy to access.	89.9	82.3 - 94.5	49	82.9	76.0 - 88.0	68	78.9	73.5 - 83.5	105	82.5	79.0 - 85.5	222
SSNE 6 (2.3.10). Percentage of schools that allow students to have access to drinking water.	83.1	73.8 - 89.6	47	75.8	68.2 - 82.1	65	84.6	78.9 - 89.0	98	81.4	77.4 - 84.7	210
SSNE 7 (2.3.11). Percentage of schools that offer fruits or non-fried vegetables when foods or beverages are offered at school celebrations.	20.1	13.6 - 28.6	50	20.0	14.1 - 27.7	67	24.1	19.6 - 29.3	104	21.9	18.6 - 25.7	221
SSNE 8 (2.3.12). Percentage of schools that allow students to purchase fruits and vegetables from vending machines or at the school store, canteen, or snack bar, or as a la carte items.	26.6	19.3 - 35.4	48	2.6	1.0 - 6.5	65	9.8	6.7 - 14.1	101	10.9	8.7 - 13.7	214

NEBRASKA

2018 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
Comprehensive School Physical Activity Program												
CSPAP (2.6.03). Percentage of schools that have established, implemented, and/or evaluated CSPAP.	1.9	0.5 - 7.0	50	10.5	6.4 - 16.9	62	0.0	†	105	3.7	2.3 - 5.8	217

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations.

NEBRASKA

2018 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
Students with Chronic Conditions												
SWCC 1 (4.5.02). Percentage of schools that identify and track students with chronic conditions that may require daily or emergency management (e.g., asthma, food allergies).	100.0	†	49	97.1	92.9 - 98.9	67	95.2	91.4 - 97.3	104	96.8	94.8 - 98.1	220
SWCC 2 (4.5.05). Percentage of schools that have protocols that ensure students identified with a chronic condition that may require daily or emergency management are enrolled into private, state, or federally funded insurance programs if eligible.	61.5	51.0 - 71.0	44	60.6	51.7 - 68.9	64	41.8	35.6 - 48.2	103	51.8	47.2 - 56.4	211
SWCC 3 (4.5.08). Percentage of schools that provide students with referrals to community-based medical care providers for students identified with chronic conditions or at risk for activity, diet, and weight-related chronic conditions.	67.7	57.9 - 76.1	49	56.0	46.9 - 64.6	67	55.6	49.5 - 61.5	104	58.2	53.7 - 62.6	220

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations.