

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical education and physical activity	50.3	39.8 - 60.8	48	54.5	45.8 - 63.0	63	43.3	36.6 - 50.3	104	48.3	43.6 - 53.2	215
b. Nutrition	56.6	46.2 - 66.5	48	51.5	42.4 - 60.4	63	41.6	35.0 - 48.5	101	48.0	43.1 - 52.8	212
c. Tobacco-use prevention	48.1	37.9 - 58.5	48	46.6	37.7 - 55.7	63	38.3	32.1 - 44.9	102	43.0	38.3 - 47.8	213
d. Chronic health conditions (e.g., asthma, food allergies)	41.7	32.1 - 51.9	48	41.8	34.2 - 49.8	63	27.8	22.4 - 33.9	101	35.3	31.1 - 39.6	212
e. Unintentional injury and violence prevention (safety)	41.7	31.6 - 52.6	48	39.9	31.7 - 48.6	63	35.7	29.4 - 42.4	101	38.3	33.7 - 43.1	212
f. Sexual health, including HIV, other STD, and pregnancy prevention	45.8	35.4 - 56.5	48	38.8	30.8 - 47.4	63	36.3	29.7 - 43.5	102	39.1	34.4 - 44.0	213

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	29.3	21.5 - 38.6	48	35.4	27.4 - 44.4	66	33.0	27.8 - 38.6	103	33.0	29.0 - 37.3	217
b. Physical education	31.3	23.1 - 40.9	48	37.3	28.9 - 46.6	66	32.3	26.7 - 38.5	102	33.8	29.5 - 38.3	216
c. Physical activity	25.3	17.5 - 35.0	48	29.7	22.8 - 37.8	66	26.6	21.4 - 32.4	102	27.4	23.5 - 31.5	216
d. School meal programs	25.3	18.2 - 34.0	48	32.5	25.4 - 40.4	64	28.3	23.3 - 33.9	102	29.0	25.3 - 33.0	214
e. Foods and beverages available at school outside the school meal programs	31.2	23.9 - 39.5	48	31.1	24.1 - 39.1	65	27.6	22.2 - 33.7	101	29.5	25.7 - 33.7	214
f. Health services	27.1	19.8 - 35.9	48	34.9	27.7 - 42.9	65	30.9	25.3 - 37.2	100	31.4	27.5 - 35.7	213
g. Counseling, psychological, and social services	37.4	30.2 - 45.2	48	41.3	33.8 - 49.3	65	30.5	24.7 - 37.0	101	35.5	31.5 - 39.8	214
h. Physical environment	35.4	26.4 - 45.5	48	46.6	39.1 - 54.2	65	29.1	23.8 - 35.0	99	36.2	32.2 - 40.5	212
i. Social and emotional climate	47.9	38.4 - 57.6	48	61.7	53.9 - 69.0	66	44.9	38.3 - 51.6	100	51.1	46.7 - 55.6	214
j. Family engagement	48.0	38.9 - 57.3	48	56.9	48.4 - 65.0	66	49.9	42.9 - 56.9	100	51.8	47.2 - 56.5	214
k. Community involvement	54.1	46.0 - 62.0	48	52.0	43.2 - 60.6	65	52.4	45.0 - 59.8	99	52.6	47.8 - 57.4	212
l. Employee wellness	41.4	32.1 - 51.4	48	40.4	32.5 - 48.8	65	30.6	24.8 - 37.1	101	36.1	31.8 - 40.6	214

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.1	58.9 - 79.3	47	62.4	53.3 - 70.7	57	49.2	43.2 - 55.3	95	57.9	53.3 - 62.4	199

*Among schools that engaged in an improvement planning process during the past year.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Reviewed district's local wellness policy	94.0	87.6 - 97.2	50	100.0	†	66	95.2	92.5 - 96.9	104	96.5	94.8 - 97.6	220
b. Helped revise district's local wellness policy	57.8	49.1 - 66.1	50	82.5	75.8 - 87.7	66	82.7	78.4 - 86.3	104	77.4	74.0 - 80.4	220
c. Communicated to school staff about district's local wellness policy	82.0	74.0 - 88.0	50	95.2	90.0 - 97.7	66	88.3	83.7 - 91.8	104	89.2	86.3 - 91.6	220
d. Communicated to parents and families about district's local wellness policy	52.7	43.8 - 61.5	50	75.9	68.3 - 82.2	66	73.0	66.7 - 78.5	104	69.7	65.5 - 73.5	220
e. Communicated to students about district's local wellness policy	58.7	49.3 - 67.6	50	73.5	66.8 - 79.2	66	75.0	68.6 - 80.4	104	71.0	67.0 - 74.8	220
f. Measured school's compliance with district's local wellness policy	50.4	41.8 - 59.1	50	74.5	68.0 - 80.0	65	70.2	64.5 - 75.3	104	67.4	63.6 - 71.0	219
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	48.1	40.6 - 55.7	50	63.1	56.4 - 69.4	66	58.7	52.4 - 64.7	104	57.9	54.0 - 61.7	220

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.1	90.5 - 98.5	50	95.6	90.9 - 98.0	66	96.2	92.7 - 98.0	105	96.0	93.8 - 97.4	221

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., a school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
64.7	55.2 - 73.2	48	65.3	55.8 - 73.7	66	50.4	44.6 - 56.2	103	58.3	53.8 - 62.6	217

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	69.7	56.7 - 80.1	30	69.5	58.7 - 78.5	39	51.0	42.0 - 59.9	51	61.8	55.8 - 67.5	120
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	76.4	64.1 - 85.5	30	77.1	67.6 - 84.4	39	68.5	60.5 - 75.6	51	73.4	68.1 - 78.1	120
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	53.2	39.9 - 66.1	30	57.8	47.6 - 67.4	38	48.7	39.7 - 57.9	51	53.0	46.9 - 58.9	119
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	89.4	78.2 - 95.2	30	89.1	80.1 - 94.3	39	80.2	72.4 - 86.3	51	85.5	80.8 - 89.2	120
e. Reviewed health-related curricula or instructional materials	69.7	57.4 - 79.7	30	88.6	79.3 - 94.0	38	68.7	59.6 - 76.6	51	75.8	70.3 - 80.6	119
f. Assessed the availability of physical activity opportunities for students	72.3	63.0 - 80.0	29	91.2	81.5 - 96.0	36	72.8	63.2 - 80.6	48	79.0	73.7 - 83.5	113
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	20.3	13.3 - 29.7	30	43.6	32.8 - 55.1	39	23.6	16.7 - 32.4	51	29.9	24.7 - 35.7	120

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
75.0	66.7 - 81.8	50	63.5	54.2 - 71.9	62	40.3	33.8 - 47.2	101	55.2	50.7 - 59.7	213

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Lessons in class	96.1	90.5 - 98.5	50	97.4	93.5 - 99.0	66	99.0	96.5 - 99.7	104	97.9	96.2 - 98.8	220
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	75.0	69.3 - 79.9	50	67.3	60.3 - 73.7	66	58.0	51.7 - 64.0	105	64.6	60.7 - 68.3	221

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
40.9	34.4 - 47.8	50	24.5	18.4 - 32.0	66	7.7	4.8 - 12.1	103	20.3	17.3 - 23.5	219

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	73.2	65.7 - 79.5	50	57.4	48.8 - 65.6	67	53.7	48.0 - 59.3	102	59.1	54.9 - 63.1	219
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	95.7	89.5 - 98.3	50	94.1	88.8 - 97.0	67	91.3	86.7 - 94.4	104	93.2	90.5 - 95.1	221
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	70.0	59.9 - 78.4	50	64.5	55.2 - 72.9	67	64.4	58.3 - 70.1	104	65.6	61.0 - 69.9	221
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	55.4	47.1 - 63.5	50	41.4	33.7 - 49.7	67	44.5	38.4 - 50.7	103	45.8	41.6 - 50.1	220
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	61.4	53.3 - 68.9	50	44.6	36.9 - 52.5	67	47.4	41.1 - 53.7	103	49.4	45.2 - 53.6	220

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
90.3	83.0 - 94.7	50	93.4	87.6 - 96.6	66	87.4	82.1 - 91.3	104	90.0	86.8 - 92.4	220

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.1	90.5 - 98.5	50	93.8	88.3 - 96.8	67	92.3	88.7 - 94.9	104	93.6	91.2 - 95.4	221

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.8	89.8 - 98.4	49	94.9	89.2 - 97.6	68	98.1	95.2 - 99.2	104	96.5	94.3 - 97.9	221

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	100.0	†	59	-	-	0	100.0	†	59
b. Seventh grade	§	§	§	98.7	95.2 - 99.6	65	99.0	96.5 - 99.7	103	98.9	97.2 - 99.6	168
c. Eighth grade	§	§	§	95.7	91.0 - 98.0	65	98.0	95.2 - 99.2	103	97.1	94.8 - 98.4	168
d. Ninth grade	93.5	90.1 - 95.8	49	-	-	0	86.3	81.3 - 90.2	103	88.6	85.0 - 91.4	152
e. Tenth grade	60.6	52.3 - 68.4	49	§	§	§	45.1	38.9 - 51.4	102	49.9	45.0 - 54.9	151
f. Eleventh grade	36.1	28.5 - 44.4	49	§	§	§	23.9	18.9 - 29.6	101	27.7	23.5 - 32.4	150
g. Twelfth grade	34.1	26.9 - 42.0	49	§	§	§	25.9	20.6 - 32.0	101	28.5	24.1 - 33.2	150

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
89.1	80.8 - 94.0	47	86.6	79.2 - 91.6	66	83.2	77.2 - 87.8	101	85.5	81.7 - 88.6	214

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Goals, objectives, and expected outcomes for physical education	97.9	92.4 - 99.4	50	97.4	93.6 - 99.0	67	95.1	92.4 - 96.9	104	96.5	94.8 - 97.6	221
b. A chart describing the annual scope and sequence of instruction for physical education	82.9	73.5 - 89.4	48	80.2	73.8 - 85.3	67	59.5	53.7 - 64.9	104	71.1	67.4 - 74.6	219
c. Plans for how to assess student performance in physical education	83.6	74.8 - 89.8	49	84.8	78.1 - 89.7	67	70.1	64.7 - 75.0	104	77.7	74.2 - 81.0	220
d. A written physical education curriculum	97.9	92.4 - 99.4	50	88.4	82.9 - 92.3	67	79.8	74.5 - 84.2	104	86.4	83.4 - 89.0	221
e. Resources for fitness testing	95.7	89.5 - 98.3	50	92.4	85.8 - 96.1	67	89.3	84.9 - 92.6	104	91.7	88.8 - 93.9	221
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	70.0	61.5 - 77.4	50	72.3	64.6 - 78.9	67	54.7	48.4 - 60.9	104	63.7	59.5 - 67.7	221

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
26.4	19.3 - 34.9	50	69.2	61.5 - 76.0	68	55.0	48.8 - 61.1	104	53.7	49.7 - 57.8	222

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
65.3	57.1 - 72.8	50	69.1	62.3 - 75.2	68	35.2	29.9 - 41.0	105	52.7	49.0 - 56.4	223

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.0	90.1 - 98.4	50	87.2	81.4 - 91.3	68	92.4	88.7 - 94.9	105	91.4	88.8 - 93.4	223

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Before the school day	80.4	73.4 - 86.0	50	54.3	45.6 - 62.7	68	79.9	75.1 - 84.0	105	71.5	67.6 - 75.1	223
b. After the school day	94.1	87.7 - 97.2	49	86.0	79.8 - 90.5	68	89.4	85.0 - 92.6	104	89.2	86.3 - 91.6	221

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity or sports facilities	75.2	64.7 - 83.3	49	64.2	56.1 - 71.6	67	65.4	58.7 - 71.5	104	67.0	62.5 - 71.3	220
b. Kitchen facilities and equipment	26.5	20.1 - 34.0	49	22.2	16.2 - 29.5	66	39.9	33.5 - 46.6	103	31.3	27.4 - 35.4	218

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	50	98.5	94.8 - 99.6	66	100.0	†	105	99.5	98.3 - 99.9	221

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	100.0	†	48	98.5	94.6 - 99.6	64	97.0	93.7 - 98.6	98	98.1	96.4 - 99.0	210
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	48	98.5	94.6 - 99.6	64	97.0	93.7 - 98.6	98	98.1	96.4 - 99.0	210
c. Cigars	100.0	†	48	96.5	91.4 - 98.6	64	94.9	91.0 - 97.2	98	96.5	94.3 - 97.9	210
d. Pipes	100.0	†	48	96.5	91.4 - 98.6	64	92.8	88.4 - 95.7	98	95.6	93.2 - 97.2	210
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	95.6	89.4 - 98.2	48	96.5	91.4 - 98.6	64	91.8	87.2 - 94.9	98	94.2	91.6 - 96.0	210

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.8	92.2 - 99.4	48	97.2	93.0 - 98.9	64	90.8	86.7 - 93.8	98	94.4	92.2 - 96.0	210
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	97.8	92.2 - 99.4	48	97.1	92.9 - 98.9	63	90.6	86.4 - 93.7	96	94.3	92.0 - 96.0	207
c. Cigars	97.8	92.2 - 99.4	48	95.2	89.9 - 97.8	64	88.6	83.9 - 92.1	97	92.8	90.1 - 94.8	209
d. Pipes	97.8	92.2 - 99.4	48	95.2	89.9 - 97.8	64	86.6	81.4 - 90.4	97	91.8	89.0 - 94.0	209
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	93.4	86.6 - 96.9	48	93.7	88.0 - 96.8	64	85.7	80.4 - 89.7	98	90.0	86.9 - 92.4	210

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.8	92.2 - 99.4	48	97.2	93.0 - 98.9	64	88.7	84.0 - 92.1	97	93.4	91.0 - 95.3	209
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	91.3	86.6 - 94.5	48	92.4	87.6 - 95.4	64	82.3	76.4 - 87.0	96	87.6	84.5 - 90.2	208
c. Cigars	97.8	92.2 - 99.4	48	95.2	89.9 - 97.8	64	84.5	79.0 - 88.7	97	90.9	88.0 - 93.2	209
d. Pipes	97.8	92.2 - 99.4	48	95.2	89.9 - 97.8	64	83.4	77.8 - 87.9	97	90.4	87.4 - 92.8	209
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	88.7	80.5 - 93.7	46	92.4	87.6 - 95.4	64	80.4	74.2 - 85.3	97	86.1	82.7 - 89.0	207

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	48	97.0	92.6 - 98.8	64	100.0	†	98	99.0	97.5 - 99.6	210
b. During non-school hours	93.7	87.0 - 97.1	48	86.8	79.3 - 91.8	64	92.8	88.3 - 95.6	98	91.0	87.8 - 93.4	210

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	93.8	87.1 - 97.1	48	95.0	89.6 - 97.7	64	94.9	90.9 - 97.2	98	94.7	92.2 - 96.4	210
b. During non-school hours	76.7	67.4 - 83.9	48	76.7	68.5 - 83.2	64	67.9	61.3 - 73.8	97	72.7	68.4 - 76.6	209

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	95.8	89.7 - 98.4	48	97.0	92.6 - 98.8	64	86.7	81.1 - 90.8	98	92.0	89.1 - 94.2	210
b. During non-school hours	78.7	69.8 - 85.5	48	78.6	70.9 - 84.8	64	63.7	57.4 - 69.7	97	71.9	67.7 - 75.7	209

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	100.0	†	48	98.5	94.6 - 99.6	64	100.0	†	98	99.5	98.2 - 99.9	210
b. Outside on school grounds, including parking lots and playing fields	100.0	†	48	98.5	94.6 - 99.6	64	99.0	96.2 - 99.7	98	99.0	97.6 - 99.6	210
c. On school buses or other vehicles used to transport students	100.0	†	48	98.5	94.6 - 99.6	64	100.0	†	98	99.5	98.2 - 99.9	210
d. At off-campus, school-sponsored events	100.0	†	48	94.5	88.5 - 97.5	63	96.9	93.6 - 98.6	98	96.8	94.5 - 98.1	209

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	97.8	92.2 - 99.4	48	98.5	94.6 - 99.6	64	97.9	94.9 - 99.2	98	98.1	96.4 - 99.0	210
b. Outside on school grounds, including parking lots and playing fields	95.8	89.7 - 98.4	48	98.5	94.6 - 99.6	64	93.8	89.6 - 96.4	98	95.8	93.6 - 97.3	210
c. On school buses or other vehicles used to transport students	97.8	92.2 - 99.4	48	98.5	94.6 - 99.6	64	96.9	93.5 - 98.6	98	97.6	95.8 - 98.7	210
d. At off-campus, school-sponsored events	93.8	87.2 - 97.1	48	86.4	78.7 - 91.6	62	84.7	78.9 - 89.2	98	87.2	83.5 - 90.1	208

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	97.8	92.2 - 99.4	48	98.5	94.6 - 99.6	64	96.9	93.5 - 98.5	98	97.6	95.8 - 98.7	210
b. Outside on school grounds, including parking lots and playing fields	91.4	83.8 - 95.6	48	98.5	94.6 - 99.6	64	83.6	77.5 - 88.2	98	90.2	87.0 - 92.6	210
c. On school buses or other vehicles used to transport students	95.6	89.2 - 98.3	48	95.0	89.6 - 97.7	64	91.7	87.1 - 94.8	98	93.6	90.9 - 95.6	210
d. At off-campus, school-sponsored events	72.5	65.0 - 78.9	48	74.8	66.2 - 81.7	61	52.2	45.2 - 59.1	96	63.9	59.5 - 68.2	205

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

26N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
57.8	48.5 - 66.6	48	61.0	51.5 - 69.8	60	34.3	28.5 - 40.7	96	48.0	43.5 - 52.6	204

*Responses to question 24 (a, b, c, and d), question 25 (a and b), and question 26 (a, b, c, and d) are all "yes."

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
74.1	64.2 - 82.0	43	85.6	78.9 - 90.4	58	73.2	66.2 - 79.2	97	77.3	73.0 - 81.1	198

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	11.8	7.6 - 18.1	50	13.2	8.4 - 20.1	67	2.9	1.4 - 6.1	104	8.2	6.1 - 10.9	221
b. Never	0.0	†	50	5.2	2.4 - 10.9	67	0.0	†	104	1.7	0.8 - 3.6	221
c. Rarely	13.9	8.4 - 22.2	50	16.5	12.0 - 22.2	67	18.2	14.2 - 23.2	104	16.7	13.9 - 20.0	221
d. Sometimes	54.2	44.7 - 63.3	50	45.1	38.7 - 51.6	67	54.8	49.8 - 59.6	104	51.4	47.8 - 55.1	221
e. Always or almost always	20.1	13.6 - 28.6	50	20.0	14.1 - 27.7	67	24.1	19.6 - 29.3	104	21.9	18.6 - 25.7	221

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
9.9	6.2 - 15.4	50	3.3	1.3 - 8.2	68	3.9	2.0 - 7.4	103	4.9	3.4 - 7.1	221

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.1	73.8 - 89.6	48	51.7	43.7 - 59.6	65	73.4	67.2 - 78.8	102	68.3	64.0 - 72.2	215

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	12.5	7.2 - 20.8	48	12.1	8.1 - 17.7	65	7.9	4.9 - 12.3	101	10.2	7.8 - 13.2	214
b. Other kinds of candy	16.5	10.2 - 25.7	48	14.4	9.9 - 20.4	65	10.8	7.3 - 15.8	101	13.2	10.4 - 16.6	214
c. Salty snacks that are not low in fat (e.g., regular potato chips)	22.8	16.5 - 30.7	48	12.1	8.0 - 17.8	65	13.8	10.0 - 18.8	101	15.1	12.4 - 18.3	214
d. Low sodium or "no added salt" pretzels, crackers, or chips	70.5	60.3 - 79.1	48	41.0	32.8 - 49.8	65	33.4	28.2 - 39.1	101	43.7	39.4 - 48.0	214
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	31.4	23.9 - 40.0	48	14.7	10.6 - 20.1	65	13.8	9.9 - 18.8	101	17.8	14.9 - 21.0	214
f. Ice cream or frozen yogurt that is not low in fat	20.8	14.8 - 28.2	48	2.6	2.6 - 2.7	65	7.8	4.9 - 12.3	101	8.8	6.9 - 11.2	214
g. 2% or whole milk (plain or flavored)	23.3	15.3 - 33.7	47	11.3	7.1 - 17.4	65	16.8	12.1 - 22.8	101	16.3	13.1 - 20.1	213
h. Nonfat or 1% (low-fat) milk (plain)	45.2	35.6 - 55.1	48	15.7	10.5 - 22.8	65	29.6	23.4 - 36.5	101	28.2	24.2 - 32.6	214
i. Water ices or frozen slushes that do not contain juice	12.5	7.2 - 20.8	48	9.5	5.5 - 16.0	65	12.9	9.8 - 16.7	100	11.7	9.2 - 14.7	213
j. Soda pop or fruit drinks that are not 100% juice	30.9	23.3 - 39.7	48	12.5	8.2 - 18.6	65	25.6	20.7 - 31.1	101	22.4	19.2 - 26.0	214
k. Sports drinks (e.g., Gatorade)	62.1	52.7 - 70.7	48	23.5	17.6 - 30.6	65	52.9	46.2 - 59.5	100	45.1	40.9 - 49.3	213

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	8.1	4.1 - 15.2	48	1.3	0.4 - 4.8	65	6.8	4.1 - 11.1	100	5.3	3.6 - 7.7	213
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	80.9	72.5 - 87.2	48	43.5	36.3 - 51.0	65	69.2	62.8 - 74.9	101	63.1	59.0 - 67.1	214
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	68.2	58.4 - 76.5	48	25.7	19.8 - 32.7	65	46.4	39.4 - 53.4	101	44.1	39.8 - 48.5	214
o. 100% fruit or vegetable juice	61.7	52.7 - 70.0	48	28.0	22.1 - 34.7	65	45.4	39.2 - 51.7	101	43.0	39.1 - 47.1	214
p. Foods or beverages containing caffeine	53.0	48.0 - 57.9	48	19.9	14.6 - 26.6	65	30.4	24.6 - 37.0	101	31.7	28.1 - 35.4	214
q. Fruits (not fruit juice)	30.8	22.8 - 40.1	48	7.5	4.1 - 13.4	65	17.7	13.1 - 23.5	101	17.1	14.0 - 20.7	214
r. Non-fried vegetables (not vegetable juice)	26.6	19.3 - 35.4	48	2.6	1.0 - 6.5	65	9.8	6.7 - 14.1	101	10.9	8.7 - 13.7	214

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	10.3	5.7 - 17.8	48	12.8	8.6 - 18.5	67	7.6	4.8 - 12.0	105	9.9	7.5 - 12.8	220
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	42.0	33.5 - 51.1	48	42.9	35.5 - 50.6	67	35.1	28.9 - 41.9	105	39.1	34.8 - 43.5	220
c. Provided information to students or families on the nutrition and caloric content of foods available	62.9	55.2 - 70.1	49	53.1	44.3 - 61.6	66	46.4	40.2 - 52.8	105	52.0	47.6 - 56.4	220
d. Conducted taste tests to determine food preferences for nutritious items	20.9	14.3 - 29.5	49	23.5	18.3 - 29.7	67	19.3	14.5 - 25.2	104	21.0	17.8 - 24.7	220
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	38.6	30.1 - 47.9	49	36.9	29.0 - 45.6	67	22.0	17.1 - 27.9	105	30.3	26.3 - 34.7	221
f. Served locally or regionally grown foods in the cafeteria or classrooms	65.1	55.2 - 74.0	48	67.0	59.1 - 74.0	68	68.9	63.1 - 74.1	105	67.5	63.3 - 71.4	221
g. Planted a school food or vegetable garden	29.0	20.7 - 39.0	48	34.4	27.8 - 41.7	67	29.7	24.5 - 35.4	105	31.1	27.3 - 35.1	220
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	89.9	82.3 - 94.5	49	82.9	76.0 - 88.0	68	78.9	73.5 - 83.5	105	82.5	79.0 - 85.5	222

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	87.8	81.3 - 92.2	49	82.9	78.1 - 86.7	68	71.4	64.9 - 77.0	105	78.6	75.0 - 81.7	222
j. Offered a self-serve salad bar to students	80.0	71.6 - 86.4	49	80.3	73.2 - 86.0	68	95.2	91.5 - 97.4	105	87.2	84.0 - 89.8	222
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	30.7	22.6 - 40.2	49	39.3	32.3 - 46.8	67	23.9	19.7 - 28.7	105	30.4	26.8 - 34.1	221
l. Encouraged students to drink plain water	83.4	74.3 - 89.8	48	84.1	76.7 - 89.4	67	84.6	79.0 - 89.0	105	84.2	80.4 - 87.4	220
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	21.8	15.0 - 30.5	49	33.0	25.7 - 41.2	68	23.8	18.8 - 29.6	105	26.4	22.7 - 30.6	222
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	32.9	24.3 - 42.8	49	45.6	37.9 - 53.5	68	16.3	12.0 - 21.7	105	29.4	25.7 - 33.5	222

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	69.4	60.6 - 76.9	49	82.3	75.7 - 87.3	68	56.3	50.4 - 62.0	105	67.6	63.8 - 71.2	222
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	59.8	51.2 - 67.8	50	78.5	72.1 - 83.8	68	50.5	44.0 - 57.1	105	61.7	57.7 - 65.6	223
c. On school buses or other vehicles used to transport students	75.4	66.8 - 82.3	49	81.7	76.1 - 86.1	68	62.9	56.5 - 68.8	105	71.7	67.8 - 75.2	222
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	66.0	56.0 - 74.8	50	81.8	77.0 - 85.8	68	57.2	50.9 - 63.2	105	67.2	63.3 - 70.8	223
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	66.0	55.9 - 74.8	50	79.8	73.7 - 84.8	68	54.3	47.7 - 60.8	105	65.2	61.0 - 69.1	223

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

		High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Yes, in all locations	93.6	86.7 - 97.0	48	76.3	69.8 - 81.7	67	88.0	83.3 - 91.6	101	85.2	82.1 - 87.9	216
b.	Yes, in certain locations	6.4	3.0 - 13.3	48	21.0	15.6 - 27.7	67	11.0	7.6 - 15.5	101	13.4	10.8 - 16.6	216
c.	No	0.0	†	48	2.7	1.1 - 6.8	67	1.0	0.3 - 3.6	101	1.4	0.6 - 2.9	216

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	48	97.3	93.2 - 98.9	67	99.0	96.4 - 99.7	101	98.6	97.1 - 99.4	216

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	96.0	90.3 - 98.4	49	100.0	†	65	99.0	96.4 - 99.7	100	98.7	97.3 - 99.4	214
b. Cafeteria during lunch	96.0	90.3 - 98.4	49	100.0	†	65	100.0	†	100	99.2	97.9 - 99.7	214
c. Gymnasium or other indoor physical activity facilities	95.8	89.7 - 98.4	50	90.8	84.5 - 94.7	66	96.1	92.6 - 98.0	104	94.3	91.7 - 96.1	220
d. Outdoor physical activity facilities or sports fields	90.1	82.7 - 94.6	50	86.7	81.8 - 90.4	64	87.3	81.9 - 91.2	103	87.7	84.6 - 90.3	217
e. Hallways throughout the school	100.0	†	50	98.1	93.3 - 99.5	68	100.0	†	104	99.4	97.7 - 99.8	222

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
63.8	53.5 - 72.9	50	48.3	43.1 - 53.5	68	22.5	17.6 - 28.4	105	39.6	36.1 - 43.3	223

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
42.0	32.3 - 52.3	50	58.2	51.5 - 64.7	67	63.9	57.7 - 69.8	105	57.5	53.3 - 61.5	222

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
11.8	7.5 - 18.0	50	17.4	11.7 - 24.9	67	9.4	6.2 - 14.0	105	12.5	9.8 - 15.8	222

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	1.9	0.5 - 7.0	50	0.0	†	67	0.0	†	105	0.4	0.1 - 1.5	222
b. HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	50	1.4	0.4 - 5.2	67	1.0	0.3 - 3.5	105	0.9	0.4 - 2.3	222
c. STD testing	1.9	0.5 - 7.0	50	0.0	†	67	0.0	†	105	0.4	0.1 - 1.5	222
d. STD treatment	1.9	0.5 - 7.0	50	0.0	†	67	1.0	0.3 - 3.5	105	0.9	0.3 - 2.1	222
e. Pregnancy testing	2.0	0.5 - 7.2	48	0.0	†	67	1.0	0.3 - 3.5	105	0.9	0.3 - 2.2	220
f. Provision of condoms	0.0	†	50	0.0	†	66	0.0	†	104	0.0	†	220
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	50	0.0	†	67	0.0	†	105	0.0	†	222
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	50	0.0	†	67	0.0	†	105	0.0	†	222
i. Prenatal care	0.0	†	43	0.0	†	65	1.0	0.3 - 3.5	105	0.5	0.1 - 1.7	213

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
j. Human papillomavirus (HPV) vaccine administration	4.0	1.6 - 9.9	48	4.3	2.0 - 9.0	67	0.0	†	104	2.3	1.3 - 4.0	219
k. Assessment for alcohol or other drug use, abuse, or dependency	37.9	29.7 - 46.8	50	23.2	16.9 - 31.1	66	12.4	8.9 - 16.9	104	21.3	18.0 - 25.0	220
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	94.0	87.6 - 97.2	50	83.0	76.7 - 88.0	67	84.5	79.2 - 88.6	104	86.0	82.7 - 88.8	221
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	93.9	87.4 - 97.2	49	80.2	73.3 - 85.6	67	83.8	78.4 - 88.0	105	84.7	81.2 - 87.6	221
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	89.9	84.3 - 93.7	49	79.7	72.6 - 85.4	67	77.0	71.0 - 82.1	105	80.6	76.9 - 83.8	221

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	29.9	20.8 - 40.9	37	16.5	11.9 - 22.4	57	28.1	22.3 - 34.8	88	24.5	20.8 - 28.7	182
b. HIV treatment (ongoing medical care for persons living with HIV)	43.7	35.2 - 52.6	48	28.8	22.3 - 36.3	67	34.8	28.6 - 41.6	103	34.6	30.5 - 39.0	218
c. nPEP (non-occupational post-exposure prophylaxis for HIV-- a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	42.7	34.1 - 51.8	49	28.8	22.3 - 36.3	67	31.6	25.9 - 37.9	104	33.0	29.0 - 37.2	220
d. STD testing	32.6	23.3 - 43.5	37	18.8	14.3 - 24.3	55	30.1	24.0 - 37.0	89	26.8	23.0 - 31.1	181
e. STD treatment	32.6	23.3 - 43.5	37	17.0	12.2 - 23.2	55	29.4	23.4 - 36.2	91	26.0	22.1 - 30.3	183
f. Pregnancy testing	38.8	28.4 - 50.5	36	23.1	18.2 - 28.8	53	30.8	24.7 - 37.8	90	29.8	25.8 - 34.3	179
g. Provision of condoms	25.7	17.9 - 35.4	39	16.8	12.1 - 22.8	56	18.6	14.0 - 24.2	96	19.4	16.1 - 23.1	191

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	22.6	15.6 - 31.6	40	15.0	10.1 - 21.8	56	18.4	13.9 - 24.0	97	18.2	15.0 - 21.9	193
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	26.3	18.4 - 36.3	38	16.8	12.1 - 22.8	56	19.7	14.9 - 25.5	96	20.0	16.7 - 23.8	190
j. Prenatal care	45.4	33.3 - 58.1	33	17.3	12.4 - 23.6	54	33.1	26.6 - 40.2	90	30.0	25.7 - 34.7	177
k. Human papillomavirus (HPV) vaccine administration	51.0	42.3 - 59.6	47	37.3	30.1 - 45.0	67	35.3	29.2 - 42.0	104	39.1	34.9 - 43.5	218
l. Alcohol or other drug abuse treatment	76.9	67.7 - 84.1	48	55.0	46.2 - 63.5	67	56.5	50.6 - 62.2	104	60.2	55.8 - 64.4	219

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
61.5	51.0 - 71.0	44	60.6	51.7 - 68.9	64	41.8	35.6 - 48.2	103	51.8	47.2 - 56.4	211

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	100.0	†	49	97.1	92.9 - 98.9	67	94.2	90.2 - 96.6	104	96.4	94.3 - 97.7	220
b. Food allergies	100.0	†	49	97.1	92.9 - 98.9	67	95.2	91.4 - 97.3	104	96.8	94.8 - 98.1	220
c. Diabetes	100.0	†	49	97.1	92.9 - 98.9	67	93.3	89.2 - 96.0	104	96.0	93.8 - 97.4	220
d. Epilepsy or seizure disorder	98.0	92.9 - 99.5	49	97.1	92.9 - 98.9	67	93.2	89.0 - 95.9	104	95.5	93.2 - 97.0	220
e. Obesity	23.3	16.2 - 32.3	48	42.8	33.8 - 52.3	66	32.7	26.6 - 39.3	104	34.1	29.6 - 38.8	218
f. Hypertension/high blood pressure	52.0	42.1 - 61.7	48	61.1	51.9 - 69.6	66	48.0	41.7 - 54.4	104	53.1	48.4 - 57.7	218
g. Oral health condition (e.g., abscess, tooth decay)	49.9	41.1 - 58.7	48	60.6	52.2 - 68.4	66	48.0	41.2 - 54.9	104	52.5	47.9 - 57.0	218

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	67.7	57.9 - 76.1	49	56.0	46.9 - 64.6	67	53.7	47.6 - 59.6	104	57.3	52.8 - 61.7	220
b. Food allergies	67.7	57.9 - 76.1	49	56.0	46.9 - 64.6	67	53.7	47.3 - 59.9	104	57.3	52.7 - 61.8	220
c. Diabetes	67.7	57.9 - 76.1	49	56.0	46.9 - 64.6	67	54.6	48.4 - 60.7	104	57.8	53.2 - 62.2	220
d. Epilepsy or seizure disorder	67.7	57.9 - 76.1	49	56.0	46.9 - 64.6	67	53.7	47.3 - 59.9	104	57.3	52.7 - 61.8	220
e. Obesity	43.1	33.8 - 52.8	49	46.0	37.5 - 54.7	66	40.3	34.4 - 46.4	104	42.7	38.3 - 47.2	219
f. Hypertension/high blood pressure	61.5	51.6 - 70.6	49	53.2	44.2 - 62.0	67	48.4	41.9 - 55.0	103	52.7	48.0 - 57.4	219
g. Oral health condition (e.g., abscess, tooth decay)	71.6	62.5 - 79.2	49	56.6	47.6 - 65.1	67	50.9	44.5 - 57.3	104	57.1	52.5 - 61.5	220

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not provide any sexual or reproductive health services	90.2	81.7 - 95.0	41	94.8	92.8 - 96.2	65	94.0	89.9 - 96.5	101	93.6	91.3 - 95.3	207
b. Parental consent is required before any sexual or reproductive health services are provided	7.4	3.4 - 15.4	41	2.0	0.5 - 7.0	65	5.0	2.8 - 8.8	101	4.4	2.8 - 6.8	207
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	0.0	†	41	1.3	0.4 - 4.7	65	0.0	†	101	0.5	0.1 - 1.6	207
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	0.0	†	41	2.0	0.5 - 7.0	65	1.0	0.3 - 3.6	101	1.1	0.4 - 2.9	207
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	0.0	†	41	0.0	†	65	0.0	†	101	0.0	†	207
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	2.4	0.6 - 8.4	41	0.0	†	65	0.0	†	101	0.4	0.1 - 1.6	207

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not refer any sexual or reproductive health services	53.1	41.2 - 64.6	34	69.5	62.3 - 75.9	53	64.1	56.5 - 70.9	83	63.9	59.0 - 68.5	170
b. Parental consent is required before any sexual or reproductive health services are referred	23.4	15.0 - 34.8	34	15.0	9.2 - 23.5	53	20.4	14.8 - 27.6	83	19.2	15.2 - 23.9	170
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	3.1	0.8 - 11.1	34	1.8	0.5 - 6.5	53	2.3	0.9 - 5.6	83	2.3	1.2 - 4.4	170
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	14.7	8.3 - 24.6	34	8.2	4.2 - 15.3	53	8.4	5.0 - 13.6	83	9.5	6.8 - 13.0	170
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	0.0	†	34	1.8	0.5 - 6.5	53	3.6	1.7 - 7.6	83	2.3	1.2 - 4.5	170
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	5.7	2.2 - 13.9	34	3.6	1.4 - 8.9	53	1.2	0.3 - 4.3	83	2.8	1.6 - 5.1	170

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Provided parents and families with information about how to communicate with their child about sex	18.5	12.3 - 26.7	49	18.4	14.0 - 23.8	68	17.1	13.0 - 22.2	105	17.8	14.9 - 21.1	222
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	50.2	40.8 - 59.5	50	54.5	46.1 - 62.6	68	43.7	36.9 - 50.8	105	48.6	44.0 - 53.3	223
c. Involved parents as school volunteers in the delivery of health education activities and services	25.7	18.7 - 34.2	50	25.9	19.6 - 33.4	68	21.2	16.4 - 26.9	104	23.7	20.2 - 27.6	222
d. Linked parents and families to health services and programs in the community	71.1	60.8 - 79.5	49	75.2	67.3 - 81.7	68	51.3	45.4 - 57.2	105	63.3	59.1 - 67.3	222
e. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	47.2	38.3 - 56.2	49	52.5	44.5 - 60.2	67	36.1	30.0 - 42.6	103	43.8	39.5 - 48.2	219

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
77.9	70.4 - 84.0	49	73.5	66.6 - 79.3	67	76.2	69.8 - 81.6	105	75.6	71.7 - 79.2	221

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
85.7	77.1 - 91.4	50	77.8	70.4 - 83.7	68	58.7	52.1 - 65.0	105	70.6	66.5 - 74.5	223

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
65.6	54.8 - 75.0	50	65.0	59.0 - 70.5	67	51.4	44.7 - 58.0	105	58.8	54.6 - 63.0	222

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.8	76.3 - 89.2	50	72.1	65.6 - 77.7	68	68.5	62.5 - 73.9	105	72.9	69.1 - 76.3	223

NEBRASKA

2018 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
38.3	29.3 - 48.1	50	47.7	40.3 - 55.2	68	37.1	31.0 - 43.6	105	40.8	36.6 - 45.2	223